



Correlation to the
**Common Core State Standards
for Mathematics**
Geometry

**Houghton Mifflin Harcourt
Geometry ©2015**

Houghton Mifflin Harcourt
Geometry ©2015

correlated to the

Common Core State Standards for Mathematics
Geometry

Standards	Descriptor	Citations
Standards for Mathematical Practice		
SMP.1	Make sense of problems and persevere in solving them.	<i>Integrated throughout the book. Examples:</i> SE: 58, 70, 86, 100, 110, 138, 369, 385-386, 445
SMP.2	Reason abstractly and quantitatively.	<i>Integrated throughout the book. Examples:</i> SE: 27, 43, 45–56, 68, 77, 79-80, 142–143, 149–150
SMP.3	Construct viable arguments and critique the reasoning of others.	<i>Integrated throughout the book. Examples:</i> SE: 17, 29, 45–56, 70, 77, 85, 137, 149, 183, 211
SMP.4	Model with mathematics.	<i>Integrated throughout the book. Examples:</i> SE: 78–79, 83 86, 147–148, 158, 166, 212, 486
SMP.5	Use appropriate tools strategically.	<i>Integrated throughout the book. Examples:</i> SE: 7–8, 11, 19, 23, 30, 63, 87-88, 94, 115, 273–274, 298, 419
SMP.6	Attend to precision.	<i>Integrated throughout the book. Examples:</i> SE: 7, 21, 195, 231, 282, 567, 736, 1094
SMP.7	Look for and make use of structure.	<i>Integrated throughout the book. Examples:</i> SE: 29, 33–34, 71, 99, 115, 137, 314–315, 324
SMP.8	Look for and express regularity in repeated reasoning.	<i>Integrated throughout the book. Examples:</i> SE: 21, 31–32, 46, 50–51, 164–165, 232

Standards	Descriptor	Citations
Standards for Mathematical Content		
G-CO	Congruence	
Experiment with transformations in the plane.		
G-CO.A.1	Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.	SE: 5–18, 19–30, 63–72, 73–86
G-CO.A.2	Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	SE: 31–44, 63–72, 73–86, 87–100, 115–126, 577–586, 601–610
G-CO.A.3	Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.	SE: 101–108
G-CO.A.4	Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.	SE: 63–72, 73–86, 87–100
G-CO.A.5	Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.	SE: 31–44, 63–72, 73–86, 87–100, 115–126, 127–138, 601–610
Understand congruence in terms of rigid motions.		
G-CO.B.6	Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.	SE: 63–72, 73–86, 87–100, 115–126, 127–138

Houghton Mifflin Harcourt *Geometry* ©2015 correlated to the
Common Core State Standards for Mathematics, Geometry

Standards	Descriptor	Citations
G-CO.B.7	Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	SE: 139–150, 219–230, 231–244, 245–254, 255–266
G-CO.B.8	Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	SE: 231–244, 245–254, 255–266
Prove geometric theorems.		
G-CO.C.9	Prove theorems about lines and angles. <i>Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.</i>	SE: 45–56, 163–174, 175–184, 185–194, 195–204, 371–380
G-CO.C.10	Prove theorems about triangles. <i>Theorems include: measures of interior angles of a triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.</i>	SE: 231–244, 245–254, 255–266, 313–326, 327–340, 341–352, 359–370, 371–380, 381–394, 395–404, 433–446, 521–536, 631–640
G-CO.C.11	Prove theorems about parallelograms. <i>Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.</i>	SE: 419–432, 433–446, 447–458, 459–470, 537–548

Standards	Descriptor	Citations
Make geometric constructions.		
G-CO.D.12	Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). <i>Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.</i>	SE: 5–18, 19–30, 73–86, 185–194, 195–204, 273–282, 341–352, 359–370, 371–380, 381–394, 395–404, 631–640, 641–652
G-CO.D.13	Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	SE: 273–282
G-SRT	Similarity, Right Triangles, and Trigonometry	
Understand similarity in terms of similarity transformations.		
G-SRT.A.1	Verify experimentally the properties of dilations given by a center and a scale factor:	SE: 577–586
G-SRT.A.1a	A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged.	SE: 577–586
G-SRT.A.1b	The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	SE: 577–586
G-SRT.A.2	Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.	SE: 587–600, 601–610
G-SRT.A.3	Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.	SE: 611–622

Standards	Descriptor	Citations
Prove theorems involving similarity.		
G-SRT.B.4	Prove theorems about triangles. <i>Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity.</i>	SE: 631–640, 663–674
G-SRT.B.5	Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.	SE: 231–244, 245–254, 255–266, 273–282, 283–294, 295–304, 341–352, 419–432, 433–446, 447–458, 459–470, 471–486, 611–622, 631–640, 653–662, 663–674
Define trigonometric ratios and solve problems involving right triangles.		
G-SRT.C.6	Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.	SE: 687–696, 697–708
G-SRT.C.7	Explain and use the relationship between the sine and cosine of complementary angles.	SE: 697–708
G-SRT.C.8	Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.*	SE: 687–696, 697–708, 709–722, 723–736
Apply trigonometry to general triangles.		
G-SRT.D.9	(+) Derive the formula $A = 1/2 ab \sin(C)$ for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side.	SE: 723–736
G-SRT.D.10	(+) Prove the Laws of Sines and Cosines and use them to solve problems.	SE: 743–754, 755–766
G-SRT.D.11	(+) Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces).	SE: 743–754, 755–766

Standards	Descriptor	Citations
G-C	Circles	
Understand and apply theorems about circles.		
G-C.A.1	Prove that all circles are similar.	SE: 587–600, 863–872
G-C.A.2	Identify and describe relationships among inscribed angles, radii, and chords. <i>Include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle.</i>	SE: 779–792, 805–814, 815–828, 829–842
G-C.A.3	Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral inscribed in a circle.	SE: 359–370, 371–380, 793–804
G-C.A.4	(+) Construct a tangent line from a point outside a given circle to the circle.	SE: 805–814
Find arc lengths and areas of sectors of circles		
G-C.B.5	Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	SE: 863–872, 873–882
G-GPE	Expressing Geometric Properties with Equations	
Translate between the geometric description and the equation for a conic section		
G-GPE.A.1	Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.	SE: 889–901
G-GPE.A.2	Derive the equation of a parabola given a focus and directrix.	SE: 902–912

Standards	Descriptor	Citations
Use coordinates to prove simple geometric theorems algebraically.		
G-GPE.B.4	Use coordinates to prove simple geometric theorems algebraically.	SE: 5–18, 359–370, 381–394, 395–404, 495–508, 509–520, 521–536, 537–548, 889–901, 902–912
G-GPE.B.5	Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).	SE: 205–212, 359–370, 381–394, 395–404, 495–508, 509–520, 521–536, 537–548
G-GPE.B.6	Find the point on a directed line segment between two given points that partitions the segment in a given ratio.	SE: 641–652
G-GPE.B.7	Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.*	SE: 521–536, 549–564, 723–736, 1037–1046
G-GMD	Geometric Measurement and Dimension	
Explain volume formulas and use them to solve problems.		
G-GMD.A.1	Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone. <i>Use dissection arguments, Cavalieri’s principle, and informal limit arguments.</i>	SE: 851–862, 863–872, 925–936, 937–948, 949–962
G-GMD.A.3	Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.*	SE: 925–936, 937–948, 949–962, 963–974, 1037–1046
Visualize relationships between two-dimensional and three-dimensional objects		
G-GMD.B.4	Identify the shapes of two-dimensional cross-sections of three dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.	SE: 981–990

Standards	Descriptor	Citations
G-MG	Modeling with Geometry	
Apply geometric concepts in modeling situations.		
G-MG.A.1	Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).*	SE: 851–862, 863–872, 873–882, 925–936, 937–948, 949–962, 963–974, 991–1004, 1005–1018, 1019–1030, 1047–1056, 1057–1070
G-MG.A.2	Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot).*	SE: 925–936, 963–974, 1047–1056
G-MG.A.3	Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).*	SE: 73–86, 1057–1070
S-CP	Conditional Probability and the Rules of Probability	
Understand independence and conditional probability and use them to interpret data.		
S-CP.A.1	Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events (“or,” “and,” “not”).	SE: 1083–1094
S-CP.A.2	Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.	SE: 1149–1164
S-CP.A.3	Understand the conditional probability of A given B as $P(A \text{ and } B)/P(B)$, and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A , and the conditional probability of B given A is the same as the probability of B .	SE: 1137–1148, 1149–1164, 1165–1176

Standards	Descriptor	Citations
S-CP.A.4	Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities.	SE: 1119–1130, 1137–1148, 1149–1164, 1165–1176, 1193–1204
S-CP.A.5	Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations.	SE: 1137–1148, 1149–1164, 1165–1176, 1193–1204
Use the rules of probability to compute probabilities of compound events in a uniform probability model.		
S-CP.B.6	Find the conditional probability of A given B as the fraction of B 's outcomes that also belong to A , and interpret the answer in terms of the model.	SE: 1137–1148
S-CP.B.7	Apply the Addition Rule, $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$, and interpret the answer in terms of the model.	SE: 1119–1130
S-CP.B.8	(+) Apply the general Multiplication Rule in a uniform probability model, $P(A \text{ and } B) = P(A)P(B A) = P(B)P(A B)$, and interpret the answer in terms of the model.	SE: 1165–1176
S-CP.B.9	(+) Use permutations and combinations to compute probabilities of compound events and solve problems.	SE: 1095–1106, 1107–1118
S-MD	Using Probability to Make Decisions	
Use probability to evaluate outcomes of decisions.		
S-MD.B.6	(+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator).	SE: 1183–1192
S-MD.B.7	(+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).	SE: 1193–1204